$\partial \gamma$

K-85 Note: prepared by Utility Consultants (Contractors)

DRAFT

KNOLOGY K-85

EXHIBIT B

APPLICATION FOR POLE ATTACHMENT PERMIT

PRIORITY #1



City of PANAMA CITY

State of

FLORIDA

County

BAY

Date

OCTOBER 19, 1998

NAME OF LICENSEE: KNOLOGY HOLDINGS OF PANAMA CITY INC.

In accordance with the terms of Agreement dated January 1, 1998, application is hereby made for permit to make attachments to the following poles:

Location/	TLN	
Pole No.	Map No.	Location and Type of Attachments
# of Poles	Knology Map	*
4	44 – 50	AREA NEAR BAY DR.
16	43 - 50	AREA NEAR AMHURST ST. & TRINITY ST.
4	42 – 50	AREA NEAR FEROL LANE
11 12	41 - 50	AREA NEAR S.R. 390 & GRAMHAM W.
37	40 - 50	AREA NEAR GARRISON RD. & McCALL ROAD
0	39 - 50	AREA NEAR GARRISON RD. & 43 RD ST.

23 TOTAL ATTACHMENTS	TOTAL MYLES / 4.344
72	By: While
	Title: CONSTRUCTION MGR.
	Licensee
Permit granted	, 19, except is subject to Licensee's required. Estimated cost of pole rearrangements
approval below if pole rearrangements are	required. Estimated cost of pole rearrangements
required to provide space for Licensee's a	ttachments:
\$ 1, 774. as show	n on DSO No. <u>061 363</u>
	GULF POWER COMPANY
	Ву:
	Title:
	Licensor
The above charges for	
rearrangements approved	BellSouth Permit No. KC-85-98
	- 124 Y/05 00
By:	Permit No. <u>K85-98</u>
Title:	Total Poles: 73
Licensee	

		•				TOV	YN
tete Joh Mork				•		Job V	Work Order #
Jets Job Work	<u> </u>			-			61363
Ref Ref	Section Is	sued To		alssued By			a Date : The Log
543599			DAV	ID LE			
	Job Descr	iption (Customer)	*******			Pho Pho	ne Number
H	NOLOG	SY K-	85			-	
ALL STREET		Driving	Directions				
TAAN	SMITTE	R RD N	OF CA	9/NES 57	70.	SR 390	>
8 1	N BAY	DR	•				
	Mark Co	ntact Info 💮 😁			Telegraphic and the second	Pho	ne Number
		. 61	OC MI	AP 2433,	2434		
Notifications:			Hold Ed		Gradica :		· · · · · · · · · · · · · · · · · · ·
☐ Land Department	Tree T	rimmers	Eas	sement		DOT I	Permit
Marketing Department	Telepit	one Company	M Bill	ing		RR Pe	ermit
Meter Department	CATV	Company	עד 🔲	N/Cable Labe	eling	☐ Enviro	onmental Permit
☐ Trencher	Ground	d s	Oti	ner		Stakin	ig
Other	X Locate		ŀ			- 230 % L	•
and the second section of the second section of the	With the Company of t	Control of the Contro	Long to the control of the control o		4 - 4 - 4		
	Pn	Join le Owner		County			Place
### Ticket##		le Owner 🕽 🕳		County :		21-v	Place April 1
Ticket #	GPC	le Owner 🕽 🕳		BAY		BAY	COVITY.
Construction Type (I	GPC IN)	le Owners	E	RAY Priority	(0-9)	BAY Lecot	
Job Steps Coz ID	GPC IN)	le Owners	E	RAY Priority	(0-9)	BAY	
Set Pole GPC PCT	GPC IN) SNES	le Owners	E	RAY Priority	(0-9)	BAY BAY	
Job Steps CorlD	GPC IN) SNES	Ie Owner S	E	RAY Priority	(0-9)	BAY BAY	
Set Pole GPC PCY Transfer GPC PCY Attach Pull Pole GPC PCY	GPC IN) INP I I I I I	Ie Owner S	E	RAY Priority	(0-9)	BAY BAY	
Set Pole Set Pole Transfer Attach Pull Pole RAISE Other JOWER SET PCY	GPC IN) INP I I I I I I I I I I I I I I I I I I	CC 410	I I	Priority	(0:9)************************************	Col	ID NP
Set Pole GPC PCY Transfer GPC PCY Attach Pull Pole GPC PCY RAISE GPC PCY Other LOWER SBT PCY	GPC IN) INP I I I I I I I I I I I I I I I I I I	CC 410	I E NP	Priority Co. ID	(0:9)************************************	Col	ID NP
Set Pole GPC PCY Attach Pull Pole GPC PCY RAISE Other LOWER GPC WOR	GPC IN) INP I I I I I G G G G G G G G G G G G G G	CC 410 CC 410 CC 410 CC 410	NP I	Priority Co. ID	(0:9)************************************	Col	ID NP
Set Pole GPC PCY Transfer GPC PCY Attach Pull Pole GPC PCY RAISE GPC PCY Other LOWER SBT PCY	GPC IN) INP I I I I I G G G G G G G G G G G G G G	CC 410 CC 410 CC 410 CC 410	NP I	Priority Co. ID	(0:9)************************************	Col	ID NP
Set Pole GPC PCY Attach Pull Pole GPC PCY RAISE Other LOWER GPC WOR	GPC IN) INP I I I I I I I I I I I I I I I I I I	CC 410 CC 410 CC 410 CC 410 CC 410 CC 410	INP.	Priority Co.ID	(0°9)	ov RS	ID ID IN NP
Set Pole Set Pole GPC PCY Transfer Attach Pull Pole RAISE Other LOWER BPC WORL 13/11 NWR Set Pole COMMUNICATION C	GPC IND	Co ID CC 410 CC 410 CC 410 Ren OUT CF # 1, 774. Other Ty	NP. I I3 narks 72 Pox	Priority Co.ID ZES 30	(O-9)	ovas	ID NP
Set Pole GPC PCY Transfer GPC PCY Attach Pull Pole GPC PCY Other LOWER SBT PCY GPC WORL 13/12 F	GPC IND	Co ID CC 410 CC 410 CC 410 Ren OUT CF # 1, 774. Other Ty	NP. I I3 narks 72 Pox	Priority Co.ID ZES 30	(O-9)	ovas	ID NP
Set Pole Set Pole GPC PCY Transfer Attach Pull Pole RAISE Other LOWER BPC WORL 13/11 NWR Set Pole COMMUNICATION C	GPC IND	Co ID CC 410 CC 410 CC 410 Ren OUT CF # 1, 774. Other Ty	NP. I I3 narks 72 Pox	Priority Co.ID ZES 30	(O-9)	ovas	ID NP
Set Pole Set Pole GPC PCY Transfer Attach Pull Pole RAISE Other LOWER BPC WORL 13/11 NWR Set Pole COMMUNICATION C	GPC IND	Co ID CC 410 CC 410 CC 410 Ren OUT CF # 1, 774. Other Ty	NP. I I3 narks 72 Pox	Priority Co.ID ZES 30	(O-9)	ovas	ID NP

Job Estimating & Tracking System - JETS

GULF Power Company Distribution Working Estimate
Type Construction: OVERHEAD Date: 15-Jun-1999 10:40 AM

): .ustomer: Address:

PANAMA CITY OFFICE KNOLOGY K-85

Town:

W.O.: P.E.: 0015000 61363

Job Reference: 543599
Job Type: C-03

2433

0

Map Number:

C-03. TELE/CATV REQUEST

Type Customer: SYSTEM Estimate Name: KNOLOGY K-85 Engineer: LEE, DAVID E. Date Last Est: 15-JUN-99

Job Order:

Job Description: Make-ready work for request K-85. Bill Knology cost of job. \$1,774.

Driving Instructions: Area of Transmitter Rd, SR 390, & N Bay Dr

Permits/Notification(s): COMCAST ENGINEER EARL C. MI CALL SUNSH BELLSOUTH

Total Estimated External Charges Included Below: \$

MANHOURS	Onsite	Travel	Headquarters	Total
Company	29.07	0.00	0.00	29.07
Contractor	2.60	0.00	0.00	2.60
			Total Estimated	31.67

Labor Multiplier: 1.00 Comment:

Cost Summary	st Summary Plant Transforme		Meters	Maint.	Removal	Total
Company Labor Contract Labor	597 49	0	0	545 0	22 0	1,164 49
ompany Matl. Contract Matl.	249 0	0	0	0 0	0 0	249 0
Company Equip Contract Equip	0 0	0	0	0 0	0 0	0
Engr Supv OH	269				· 7	276
Subtotal	1,164	0	0	545	29	1,738
Blanket						42
Salvage	6	0	0	0	0	6
Total	1,158	0	0	545	29	1,774
Bill to Others						1,774
Total Net Cost:						o
Rate	Revenue	Tot	al Ratio	0.00	ROE	.00

0.00 Net Present Val Loc Cost 0 Local Ratio

Approval & Signoffs:

Stores Requisition Notify Stores - Issue

Page:

Q Name: PANAMA CITY OFFICE policent Name: KNOLOGY K-85
Job Address:

Received By

Engineer Name: LEE, DAVID E.
Estimate Name: KNOLOGY K-85
Stores Notify Date:

W.O. #: 001500061363 Account Number: 061363 - - -

Storeroom:

Analysis Code:

Job Ref #:

Document #: 199166104024

543599

Stores Start Date:

	*** MA	JOR/MINOR MATERI	AL ***			
Item	Description	Commodity	Required	Issued	O/C	U/I
1	3/8" 7-STR. GALV. GUY - UTILIT	03-1511-7	30			FT
2	RISER SHIELD, 4" X 10"	05-2019-0	2			EA
2	RISER SHIELD, 4 X 10	05-2019-0	2			EA
3	FOAM KIT FOR SEALING RISER SHI	05-5012-0	2			EΑ

4	EYE BOLT; 5/8" X 10"	06-2065-2	1			EA
5	GUY HOOK, COMBINATION, FOR 3/8	06-4557-3	1			EA
	·					
6	GUY GUARD; YELLOW; 8 FT.	06-4851-6	l			EA
7	POLE 35'/5 WOOD CCA	07-1035-0	1			EA
f	FOLE 33 (3 WOOD CCA	01-1033-0	•			4.71
R	FIBERGLASS GUY ROD: 12FT, X 5/	08-2920-5	1			EA

Filled By	Date	Signoff	
<u>‡</u>			
√rdered By		Approved By	
			K-85
			5

Truck/Crew

Material Returned Stores Notify Stores - * RETURN * Page:

Name: PANAMA CITY OFFICE
plicant Name: KNOLOGY K-85
Job Address:
Engineer Name: LEE, DAVID E.
Estimate Name: KNOLOGY K-85

Stores Notify Date:

Document #: R99166104024 W.O. #: 001500061363 Account Number: 061363 - - -

Storeroom:

Analysis Code:

Job Ref #:

543599

Stores Start Date:

*** MAJOR/MINOR MATERIAL ***

Item 1	Description 3/8" 7-STR. GALV. GUY - UTILIT	Commodity 03-1511-7	Est Qty 40	Actl Qty	U/I FT
2	EYE BOLT; 5/8" X 10"	06-2065-2	1.		EA
3	GUY HOOK, COMBINATION, FOR 3/8	06-4557-3	1		EA
4	GUY GUARD; YELLOW; 8 FT.	06-4851-6	1		EA
5	SPOOL RACK	06-4880-1	3		EA
6	GUY STRAIN INSULATOR: JOHNNY B	08-2921-4	i		EA

seturned By	 Date	
		K-85
		6
Received By	Approved By	

Work Location Summary Report

Page: I

Job Ref #: 543599

Applicant Name: KNOLOGY K-85
Estimate Name: KNOLOGY K-85
Estimate Description: MAKE-READY WORK FOR REQUEST K-85. BILL KNOLOGY COST OF JOB. \$1,774.

Work Order #: 001500061363 Job address:

Work Function	Special Processing	!	Unk Identification	Quantity	Description	Contractor Name
*** Work I	Location: 1.	.00	Description: Inst Dsgn Volt Num; 12 Energized: Y	Inst Op Volt Num: Inaccessible: N	12 Rmv Dsgn Volt Num: 12 Rmv Op Volt Num: 12 Rock/Swamp: N ManHours: 4,43	
INSTALL INSTALL INSTALL INSTALL INSTALL INSTALL INSTALL	NONE NONE NONE NONE NONE NONE NONE		OTHER-OVH-MAINT RESAG I PHASE CONDUCTO TRAFFIC CONTROL #I TRAFFIC CONTROL #2 TRAFFIC CONTROL #3 TREE TRIM, FIXED PART TREE TRIM, LIGHT (FEET)	1 2 1 1 1 1 1 30	I MANHOUR OF OTHER OVERHEAD LINE MAINTENANCE RESAG ONE PHASE OF CONDUCTOR (UP TO 3 SPANS IN LENGTH) #1: CONES AND I WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM #2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING #3: CONES TO BUILD A MERGING TAPER FIXED PART OF COST (TRAVEL, SETUP, ETC.) FOR ANY TYPE OF DSO TREE TRIM VARIABLE PART OF COST, LIGHT TRIM ALONG LINE ROUTE, PER FOOT OF ROUTE	TAPER S SIGNS ASPLUNDH TREE EXPERT C ASPLUNDH TREE EXPERT C
*** Work 1	Location: 4	.10	Description: Inst Dsgn Volt Num: 12 Energized: Y	Inst Op Volt Num: Inaccessible: N	12 Rmv Dsgn Volt Num: 12 Rmv Op Volt Num: 12 Rock/Swamp: N ManHours: 3.43	
INSTALL INSTALL INSTALL INSTALL	NONE NONE NONE		RESAG I PHASE CONDUCTO TRAFFIC CONTROL #1 TRAFFIC CONTROL #2 TRAFFIC CONTROL #3	R 2 1 1 1 1	RESAG ONE PHASE OF CONDUCTOR (UP TO 3 SPANS IN LENGTH) #1: CONES AND I WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM #2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING #3: CONES TO BUILD A MERGING TAPER	
*** Work I	Location: 6.	.00	Description: Inst Dsgn Volt Num : 12 Energized: Y	Inst Op Volt Num ; Inaccessible ; N	12 Rmv Dsgn Volt Num: 12 Rmv Op Volt Num: 12 Rock/Swamp: N ManHours: 3.85	
INSTALL INSTALL INSTALL INSTALL REMOVE	NONE NONE NONE NONE NONE		OTHER-OVH-MAINT TRAFFIC CONTROL #1 TRAFFIC CONTROL #2 TRAFFIC CONTROL #3 1-SPOOL RACK	2 1 1 1 2	1 MANHOUR OF OTHER OVERHEAD LINE MAINTENANCE #1: CONES AND 1 WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM #2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING #3: CONES TO BUILD A MERGING TAPER SPOOL RACK FOR SECONDARY OR NEUTRAL	TAPER SSIGNS
*** Work 1	Location: 9	.00	Description; Inst Dsgn Volt Num: 12 Energized: Y	Inst Op Volt Num : Inaccessible : N	12 Rmv Dsgn Volt Num: 12 Rmv Op Volt Num: 12 Rock/Swamp: N ManHours: 6.78	·
INSTALL INSTALL INSTALL INSTALL INSTALL INSTALL	NONE NONE NONE NONE NONE		3/8" DOWNGUY COMPLETE EYB BOLT; 5/8" X 10" OTHER-OVH-MAINT POLE 35'/5 WOOD TRAFFIC CONTROL #1 TRAFFIC CONTROL #2	1 1 2 1 1	DOWNGUY WITH 3/8" GUY WIRE (NOT FOR BEACH USE) COMPLETE WITH HARDWAR EYE BOLT; 5/8" X 10" 1 MANHOUR OF OTHER OVERHEAD LINE MAINTENANCE POLE - WOOD, 35-FOOT CLASS 5 #1: CONES AND 1 WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM #2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING	TAPER

Job Ref #: 543599 Applicant Name: KNOLOGY K-85

Work Location Summary Report

Work Order #:

001500061363

Page: 2

Job address:

Estimate Name: KNOLOGY K-85
Estimate Description: MAKE-READY WORK FOR REQUEST K-85, BILL KNOLOGY COST OF JOB. \$1,774.

Work	Special		
Function	Processing	Unit Identification Quantity	Description Contractor Name
INSTALL	NONE	TRAFFIC CONTROL #3	#3: CONES TO BUILD A MERGING TAPER
REMOVE	BLANKET	POLE 30'/6; WOOD	POLE 30'/6: WOOD
REMOVE	NONE	3/8" DOWNGUY- BEACH COMPL 1	DOWNGUY WITH 3/8" GUY WIRE FOR BEACH USE COMPLETE WITH HARDWARE
REMOVE	NONE	EYE BOLT; 5/8" X 10"	EYE BOLT; 5/8" X 10"
REMOVE	NONE	SET OF DIST POLE FIXTURES 1	DIST POLE FIXTURES (USE TO ATT/DET TO FOREIGN POLE OR DET FROM GULF POLE)
NDMO 1 D	NONE	obi of bibliothim tokes	DIG. TOLD TWO COLD TO ATTIME! TO FORESON TOLD OR DET FROM GOLF FOLD)
*** Work L	ocation: 11.00	Description:	
	Acation. 11,50	Inst Dsgn Volt Num: 12 Inst Op Volt Nur	n: 12 Rmv Dsgn Volt Num: 12 Rmv Op Volt Num: 12
		Energized: Y Inaccessible: N	
INSTALL	NONE	OTHER-OVH-MAINT 1	I MANHOUR OF OTHER OVERHEAD LINE MAINTENANCE
INSTALL	NONE	TRAFFIC CONTROL #1	#1: CONES AND 1 WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM TAPER
INSTALL	NONE	TRAFFIC CONTROL #2	#2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING SIGNS
INSTALL	NONE	TRAFFIC CONTROL #3	#3: CONES TO BUILD A MERGING TAPER
*** Work L	ocation: 62.00	Description:	
		Inst Dsgn Volt Num: 12 Inst Op Volt Nur	
		Energized: Y , Inaccessible: h	Rock/Swamp: N ManHours: 4,03
INSTALL	NONE	FOAM KIT FOR RISER SHIELD	FOAM KIT FOR SEALING RISER SHIELDS
INSTALL	NONE	OTHER-OVH-MAINT 2	1 MANHOUR OF OTHER OVERHEAD LINE MAINTENANCE
INSTALL	NONE	RISER SHIELD 4X10	RISER SHIELD 4"X10"
INSTALL	NONE	TRAFFIC CONTROL #1	#1: CONES AND 1 WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM TAPER
INSTALL	NONE	TRAFFIC CONTROL #2	#2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING SIGNS
INSTALL	NONE	TRAFFIC CONTROL #3	#3: CONES TO BUILD A MERGING TAPER
REMOVE	NONE	I-SPOOL RACK	SPOOL RACK FOR SECONDARY OR NEUTRAL
*** Work L	ocation: 63.00	Description:	
		Inst Dsgn Volt Num: 12 Inst Op Volt Nu	
	•	Energized: Y Inaccessible: I	Rock/Swamp: N ManHours: 3.92
INSTALL	NONE	FOAM KIT FOR RISER SHIELD	
INSTALL	NONE	OTHER-OVH-MAINT 2	· · · · · · · · · · · · · · · · · · ·
INSTALL	NONE	RISER SHIELD 4X10	RISER SHIELD 4"X10"
INSTALL	NONE	TRAFFIC CONTROL #1	#1: CONES AND 1 WARNING SIGN FOR IMMEDIATE WORK AREA AND DOWNSTREAM TAPER
INSTALL	NONE	TRAFFIC CONTROL #2	#2: CONES FOR BUFFER AREA AND/OR TAPER AND TWO ADD'L ADVANCE WARNING SIGNS
INSTALL	NONE	TRAFFIC CONTROL #3	#3: CONES TO BUILD A MERGING TAPER

Gulf Power Make-Ready Work Locations Knology K-85

Pole#	Knology Map# 44-50	Location: S Lauren Merriam Park N Bay Dr (SE corner	Construction Notes: RE-SAG pri & neu to S pl 2	Job Step#	2
Pole Owner: Gulf Power		N Bay Dr & Sewanee St)			
Revi	sion# 0		•		
TLN#					
Comp	oleted By:		Completion Date		


K-85

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 055 0022



44-50

ORIGINAL

Gulf Power Make-Ready Work Locations

Knology K-85

Pole# 4.1	Knology Map# 43-50	Location: 1203 N Bay Dr (1st pl N of Amhurst St E	Construction Notes: RE-SAG pri & neu for max midspan clearance.	Job Step#	1
Pole Owner: Gulf Power Revision# 0 TLN # 64937-45597		side N Bay Dr)			
Com	pleted By:		Completion Date	······································	


K-85 11

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922



Gulf Power Make-Ready Work Locations

Knology K-85


Pole#	Knology Map#	Location:	Construction Notes:	Job Step #	2
9 41-50 Pole Owner: Gulf Power		SR 390 (1st pl E of Graham Ln N side SR	1)RPL 30/6 w/ 35/5 stub pole. 2)RPL d-guy	1	
		390)			
Revi	sion# 0				
TLN#					
Comp	oleted By:		Completion Date		

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922



Gulf Power Make-Ready Work Locations

Knology K-85


t	Knology Map#	1	Construction Notes:	Job Step#	1
6 40-50 Pote Owner: Gulf Power		behind house 3308 SR 390 (2nd pl S of SR 390 in yard 3308)	RM 2 SR & TAKE-UP leads.		
		,			
Rev	ision# 0				
TLN#	64914-44956		·		
Com	pleted By:		Completion Date		
	Knology Map#	Location:	Construction Notes:	Job Step #	1
11_	40-50	SR 390 (2nd pl W of Transmitter Rd S side SR 390)	RAISE capacitor clock min 36"		
	e Owner: If Power	SR 390)			
Revi	ision# 0				
TLN# 6	64976-45017				
Сот	oleted By:		Completion Date		
t .	Knology Map#	Location:	Construction Notes:	Job Step#	1
62	40-50	across from 3308 Willow Hill Rd (3rd pl S of SR 390 W side Willow Hill Rd)	ADD 24" of 4" Riser Shield, RM 1 SR. FOAN	TOP	
1	e Owner: If Power	SK 390 AA SIGE AAIIIDM LIN KG)			
Revi	sion# 0				
TLN# 6	34901-44967				
Comp	oleted By:		Completion Date		
Pole#	Knology Map#	Location:	Construction Notes:	Job Step#	1
63	40-50	across from 3308 Willow Hill Rd (4th pl S of SR 390 on W side Willow Hill Rd)	RAISE 4" Riser Shield min 12". FOAM TOP		
	e Owner: of Power	OIT 350 OIT TO SIDE TERIOW THIN IND			
Revi	sion# 0				
TLN# 6	4876-44955				
Comp	oleted By:		Completion Date		

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922



				jo	b stepi
Pole#	GPC Map#	Knology Map	GULF POWER	RE-SAG pri & neu to S pi 2	2
1	2434	44-50			
· TLI	N#		Knology		
Pole O	wner: G	ulf Power	Comcast	Lower 21" to POA 21' 7".	
Locatio			Concast	LOWER 21 TO FOX 21 7	4
S Lauren	i Merriam Park N Bay Dr & Sewar	Bay Dr (SE lee St)			
	,		Asplundh	Light tree trim.	1
		,	Tiopiara.		"
j	•		BellSouth	Lower 12" per joint review.	3
			GULF POWER		
Pole #	GPC Map #	Knology Map	GOLF FOWER		
4	2434	40-50			
TLI			Knology		
Pole O		If Power	Comcast	REMOVE dead cable.	_
Locatio 3308 SR	ก: . 390 (1st pl E of !	Willow Hill Rd			
S side SI	R 390)				
ļ					
			BellSouth		
ļ			Bengoudi		
<u> </u>					
Pole#	GPC Map#	Knology Map	GULF POWER	RE-SAG pri & neu for max midspan clearance.	1
4.1	2434	43-50			
TLN	V# 64937-455	97	Knology		
Pole O	wner: Gu	If Power	<u>,</u> }		
Location			-{ 		
1203 N E E side N	Bay Dr (1st pl N o Bay Dr)	f Amhurst St			
	20 , 0.,				
			BellSouth		
			GULF POWER		
Pole#	GPC Map#	, with the same	GOLF FOWER		
	2434	40-50			
TLN			Knology		
Pole O		If Power	Comcast	REMOVE dead cable.	1
	n: 390 (1st pl S of S	R 390 in yard			
3308)					
			BellSouth	TV OF	
			Deligoudi	K-85 17	
				1/	

Page 1 of 5

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

		·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·- ·			
Pole #	GPC Map #	LUIDIOGY MAP	GULF POWER	RM 2 SR & TAKE-UP leads.	1
6	2434	40-50	V-slam.		
) T LI	N# 64914-449	·56	Knology		
Pole 0	wner: G	ulf Power	Comcast	REMOVE dead cable.	
Locatio					
behind h	ouse 3308 SR 39 n yard 3308)	90 (2nd pl S of			-
310 390 1	ir yalu 5500)				<u> </u>
ļ			1	1 1	
			BellSouth		
					_
Pole #	GPC Map#	Knology Map	GULF POWER		
7					
-	2434	43-50			<u></u>
TU	N# 64940-	45557	Knology		
Pole O	wner: Gu	ulf Power	Comcast	Lower 19" to POA 18' 7".	1
Locatio	n:		Concast	LOWGI TO THE F.	
N 1231 N	N Bay Dr (1st pl S	of Amhurst			
St on E s	side N Bay Dr)				Ш
			BeilSouth		
			Deligoniti		
			GULF POWER		
Pole #	GPC Map #	Knology Map	GOLF FOREK		
8	2434	43-50			
TLI	N# 64938-455	45	Knology		
Pole O	wner: Gu	if Power	Comcast	Lower 7" to POA 20' 3"	1
Location	n:		Comeasi	LOWER 1 GT OA 20 3	'
1231 N B	Bay Dr (2nd pl S o	of Amhurst St			
on E side	N Bay Dr)				
1					į
			BellSouth		ĺ
				·	
			CIRE POWES	1)RPL 30/6 w/ 35/5 stub pole. 2)RPL d-guy	2
Pole#	GPC Map #	Knology Map	GULF PUWEK	TINCE Sure will sole stud pole. ZINCE diguy	4
9	2434	41-50			_
TL	V#		Knology		
Pole O	wner: Gu	ilf Power	Compact	YEED to roughly DEMOVE 4 auchood out	-
Locatio			Comcast	XFER to new pole. REMOVE 1 overhead guy.	3
SR 390 (1st pl E of Graha	m Ln N side	Call Sunshine	LOCATE NEEDED FOR POLE CHANGE-OUT.	1
SR 390)			One		
			5-110		
			BellSouth		-
i					

			7		
Pole#	GPC Map #	Knology Map	GULF POWER	RAISE capacitor clock min 36"	1
11	2434	40-50			
TLN	4 # 64976-450	017	Knology		
Pole O	wner: G	uif Power	Comcast	Lower 17" to POA 22' 8".	<u> </u>
Location	n:		- Conicast	: LOWEI 17 (0 FOA 22 8 .	2
SR 390 (2 side SR 3	2nd pl W of Trar 390)	nsmitter Rd S			
1			BellSouth		<u>. </u>
Pole #	GPC Map #	Knology Map	GULF POWER		_
12	2434	40-50			
ļ					
TLN		117	Knology		ĺ
Pole Ov		ulf Power	Comcast	Lower to min 52" below power.	1
Location	n: 1st pl W of Trans	amittar Dd C			
side SR 3	ים איזו זיטיאים אפינ 190)	Similar KO 2			[
	•				_
!			BeilSouth		
<u></u>			<u> </u>		_
Pole #	GPC Map #	Knology Map	GULF POWER		
15	2434	43-50			
TLN	# 6489?-?54	92	Knology		
Pole Ov		ılf Power	Comcast	Lower 8" to POA 18' 4".	1
Location		10 -4			
Amhurst S	ay Dr (2nd in-lin St W side N Bay	e piSot Dr)			
<u>.</u>					
			BellSouth		
			·		
Pole #	GPC Map #	Knology Map	GULF POWER		
20	2434	40-50			
TLN			Knology		
					
Pole Ov Location		If Power	Comcast .	Lower 16" to POA 20' 0".	2
	ı; 390 (5th pl E of '	Transmitter			
Rd S side	SR 390)				
					-
			BellSouth	Lower 16" per joint review.	1
					ļ

Page 3 of 5

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

Pole #	GPC Map #	Knology Map	GULF POWER		
39	2434	40-50	1		\
TLI	N# 65055-44	942	Knology		
Pole O)wner: G	ulf Power			L
Locatio	on:		Comcast	Lower 12" to POA 18' 10".	1
4526 Mc Transmit	:Call Rd (2nd pl l tter Rd S side M	∃ of cCall Rd)			_
			BellSouth		
Pole #	GPC Map #	Knology Map	GULF POWER		
43	2434	40-50	1		
TLN	N# 65087-449	42	Knology		
Pole O	wner: G	ulf Power	Comcast	Lower 12" to POA 21' 5".	
Location	л:		Comcast	LOWER 12 10 POA 21 5".	1
3642 Mcc Rd S side	Call Rd (1st pl W e McCall Rd)	of Garrison			
:			BellSouth		
Pole #	GPC Map #	Knology Map	GULF POWER		
44	2434	40-50			
TLN		40-30	Knology		
Pole O	wner G	ulf Power			
Location		DII LOMEI	Comcast	Lower 9" to POA 19' 6".	1
	Call Rd (NE com	er Garrison Rd			
			BellSouth	·	
Pole #	GPC Map #	Knology Map	GULF POWER	ADD 24" of 4" Riser Shield, RM 1 SR. FOAM TOP	1
62	2434	40-50		· · · · · · ·	
ا م	2434				
		TLN# 64901-44967			
		67	Knology		
Pole Ov	wner: Gu	67 ilf Power	Kilology		
Pole Ov	wner: Gu	ilf Power	Kitology		
Pole Ov Location across fro	wner: Gu	alf Power	Antiogy		
Pole Ov Location across fro	wner: Gu n: om 3308 Willow I	ilf Power Hill Rd (3rd pl w Hill Rd)			
Pole Ov Location across fro	wner: Gu n: om 3308 Willow I	ilf Power Hill Rd (3rd pl w Hill Rd)	BeliSouth		

Page 4 of 5

Utility Consultants, Inc


1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

Pole # GPC Map # Knology Mag	GULF POWER	RAISE 4" Riser Shield min 12" FOAM TOP	1
63 2434 40-50	1		۱ ۱
TLN# 64876-44955	Knology		\vdash
Pole Owner: Gulf Power	Comcast	Lower 9" to POA 22' 6".	_
Location:		mond of the first of	2
across from 3308 Willow Hill Rd (4th pl S of SR 390 on W side Willow Hill Rd)			_
			-
	BellSouth		
	Beilgouth		
Pole # GPC Map # Knology Mag	GULF POWER		
67 2434 40-50			,
TLN# 64901-44934	Knology		
Pole Owner: Gulf Power Location:	Comcast	Lower 6" to POA 21' 6".	2
4505 Willow Hill Rd (2nd pl from S end			
Willow Hill Rd)			
	BeilSouth	Lower 24" per joint review.	1
			ĺ
Pole # GPC Map # Knology Map	GULF POWER		_
68 2434 40-50			
TLN# 64901-44915	Knology		
Pole Owner: Gulf Power	-		
Location:	Comcast	Lower 4" to POA 22' 1".	1
4501 Willow Hill Rd (S end of Willow Hill Rd S of SR 390)			
			\dashv
	BellSouth		\dashv
	<u> </u>		

Atlanta, GA 30339



Work Locations Requiring Underground Locate

Knology K-85

Po	ole#	Knology Map#	TLN#	Location	Description of Work
9	9	41-50		SR 390 (1st pl E of Graham Ln N side SR 390)	ole changeout

K-85 22

Page 1 of 1



COMCAST Make-Ready Work Locations

Knology K-85

1		- Kilology K-	50		
Pole#	Map#	Location:	Construction Notes:	Job Step #	4 .
1	S Lauren Merriam Park N Bay Dr (SE corner N Bay Dr & Sewanee St)		Lower 21" to POA 21" 7".	·	
Pole Owner; Guif Power Revision# 0 TLN #		N Bay Dr & Sewanee St)			
		·			
Com	pleted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step#	
4	40-50	3308 SR 390 (1st pl E of Willow Hill Rd S	REMOVE dead cable.	[-
Pol	le Owner:	side SR 390)			
Gu	ulf Power				
Rev	ision# 0				
TLN#	54914-45018				
Com	pleted By:		Completion Date		
Pole#	Map#		10		
5	40-50	Location: 3308 SR 390 (1st pl S of SR 390 in yard	Construction Notes:	Job Step#	1
	e Owner:	3308)	REMOVE dead cable.		
1	ulf Power				
Revi	ision# 0				
;}———— ,TLN#		-			
Comp	pleted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step#	
6	40-50	behind house 3308 SR 390 (2nd pl S of SR	REMOVE dead cable.	OOD CLOP #	
Pol	e Owner:	390 in yard 3308)	TENOVE dead capic.		
Gu	lf Power				
Revi	ision# 0				
TLN# 6	64914-44956				
Comp	oleted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step #	1
7	43-50	N 1231 N Bay Dr (1st pl S of Amhurst St on	Lower 19" to POA 18' 7".	Job Step #	
Pole	e Owner:	E side N Bay Dr)	Lower 19 to POA 18 7".		
	sion# 0				
TLN# 6	34940-45557				
Comp	oleted By:		Completion Date		
					

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

				
Pole# Map#	Location:	Construction Notes:	Job Step #	1
8 43-50	1231 N Bay Dr (2nd pl S of Amhurst St on E side N Bay Dr)	Lower 7" to POA 20' 3"		
Pole Owner:	Side IV Day Dr)			
Gulf Power				
Revision# 0				
TLN # 64938-45545				
Completed By:		Completion Date		··
Pole# Map#	Location:	Construction Notes:	Job Step #	3
9 41-50	SR 390 (1st pl E of Graham Ln N side SR	XFER to new pole. REMOVE 1 overhead guy.	11_	
Pole Owner:	390)			
Gulf Power				
Revision# 0				
TLN #			· · · · · · · · · · · · · · · · · · ·	
Completed By:		Completion Date		
Pole# Map#	Location:	Construction Notes:	Job Step#	2
11 40-50	SR 390 (2nd pl W of Transmitter Rd S side	Lower 17" to POA 22' 8".	·	
Pole Owner:	SR 390)			
Gulf Power				
Revision# 0				
	_			
TLN # 64976-45017				
Completed By:		Completion Date		
Pole# Map#	Location:	Construction Notes:	Job Step #	1
12 40-50	SR 390 (1st pl W of Transmitter Rd S side	Lower to min 52" below power.	' <u> </u>	
Pole Owner:	SR 390)			
Gulf Power				
Revision# 0				
TLN# 65017-45017				
Completed By:		Completion Date		
Pole# Map#	Location:	Construction Notes:	Job Step #	1
15 43-50	1400 N Bay Dr (2nd in-line pl S of Amhurst	Lower 8" to POA 18' 4".		
Pole Owner:	St W side N Bay Dr)			
Gulf Power		•		
Revision# 0	•			
TLN# 64898-45492]			
Completed By:		Completion Date		

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

Pole#	Map#	Location:	Construction Notes:	Job Step # 2	2
20 40-50 Pole Owner:		3606 SR 390 (5th pl E of Transmitter Rd S side SR 390)	Lower 16" to POA 20' 0".	'	
	e Owner: If Power	alue SK 390)			
l		_			
Revis	sion# ⁰				
TLN# 6	5106-54017				
Comp	leted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step # 1	Ī
39	40-50	4526 McCall Rd (2nd pl E of Transmitter Rd	Lower 12" to POA 18' 10".	•	
	Owner: if Power	S side McCall Rd)			
Revis	sion# 0	1			
TLN# 6	5055-44942	-			
Comp	leted By:		Completion Date		
Pole#	Map#	Landin	Construction Notes:	Job Step# 1	_
43	40-50	Location: 3642 McCall Rd (1st pl W of Garrison Rd S	Lower 12" to POA 21' 5".	Jop Step # 1	
!	Owner:	side McCall Rd)	Lower 12 to POA 21 5.		
	f Power				
	sion# 0	-			
TLN# 6	5087-44942				_
Compl	leted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step # 1	
44	40-50	3605 McCail Rd (NE corner Garrison Rd &	Lower 9" to POA 19' 6".	· · · · · · · · · · · · · · · · · · ·	$\overline{}$
	Owner: f Power	McCall Rd)		•	ļ
Revis					
TLN#	,	-			
Compl	leted By:		Completion Date		
Pole#	Map#	Location:	Construction Notes:	Job Step # 2	$\overline{}$
63	40-50	across from 3308 Willow Hill Rd (4th pl S of	Lower 9" to POA 22' 6".	<u> </u>	一
Pole	Owner:	SR 390 on W side Willow Hill Rd)			
Gulf	Power	-			ļ
Revis	sion# 0	,			ļ
TLN# 64	4876-44955				
Comple	eted By:		Completion Date		

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922

Pole#	Map# 40-50	Location:	Construction Notes:	Job Step #	2
67 40-50 Pole Owner: Gulf Power		4505 Willow Hill Rd (2nd pl from S end Willow Hill Rd)	Lower 6" to POA 21' 6".		
	sion# 0 4901-44934	· ·	•		
Comp	eleted By:		Completion Date	····	
Pole#	Map#	Location:	Construction Notes:	Job Step #	1
Pole Owner: Gulf Power		4501 Willow Hill Rd (S end of Willow Hill Rd S of SR 390)	Lower 4" to POA 22' 1".		
·	sion# 0				
	4901-44915		Completion Date		

Utility Consultants, Inc

1810 Water Place Suite 200

Atlanta, GA 30339

(770) 955-9922